


CONSTRUCTION JOINT (IF NEEDED) (NTS)



TYPICAL SECTION (NTS)

TYPE	WIDTH		CONCRETE THICKNESS	DRIVEWAY BASE
	MIN.	MAX.		
RESIDENTIAL	10'	24'		
COMMERCIAL	24'	40'	6"	2" (MIN.) GRAVEL, CRUSHED ROCK OR FLEX BASE

GENERAL NOTES

1. SAWCUT (IF REQUIRED) AND EXCAVATION OF DRIVEWAY AREA WILL NOT BEGIN WITHOUT ALL MATERIALS IN PLACE TO COMPLETE THE WORK WITHIN ONE BUSINESS DAY. EXCAVATION LEFT OPEN ADJACENT TO THE COUNTY ROAD WILL NOT BE ALLOWED.
2. SAWCUT INTO EXISTING COUNTY ROAD IS NOT PERMITTED.
3. WELDED WIRE MESH OF EQUAL OR GREATER EQUIVALENT CROSS SECTIONAL AREA MAY BE PERMITTED WITH GUADALUPE COUNTY APPROVAL.
4. AN ENGINEERED CLEAN OUT IS REQUIRED FOR ANYTHING OVER 40'.



CONCRETE DRIVEWAY DETAIL

GUADALUPE COUNTY STANDARD DETAILS

SCALE:	N.T.S.	DATE:	6/28/2023
DSGN. BY:	ENG.	DRAWN BY:	JRS
		SHEET NO.: 1 OF 2	