

# GUADALUPE COUNTY Road & Bridge Department

**Douglas Burnside**Road Administrator
Douglas.Burnside@GuadalupeTX.gov

Mike Brooks
Assistant Road Administrator

Mike.Brooks@GuadalupeTX.gov

#### APPLICATION FOR EXCAVATION PERMIT

REQUEST DATE:	
PERMIT NO.:	

The approval for any construction work performed on Guadalupe County maintained roads or in the Right-of-Way (ROW), is obtained by completing the form and agreement below. All information provided shall be accurate and shall include an aerial photograph and/or design drawing(s) a part of a designed project or the use of a detailed schematic for Plan and Profile information as provided on pages 6 and 7, for the location or area of the proposed work and points of contact and associated contact information.

Effective 04/01/2024 any named road from a development or otherwise connecting to a County Road requires an Excavation Permit and requires Guadalupe County Commissioners Court (Court) approval.

Before the start and/or stop of any construction, notify Guadalupe County at <u>rb-permits@guadalupetx.gov</u> <u>no</u> <u>less than 72 hours in advance</u> of any work or stoppage of work within the County ROW.

Notification is also required before implementing any approved traffic control plans on existing County-maintained roads. FAILURE TO PROVIDE NOTIFICATION MAY RESULT IN REVOCATION OF THE PERMIT.

The full closure of a County road requires a minimum 30-Day advance notice and is subject to the discretion of the Road and Bridge Administrator and possible approval by the Court per Transportation Code, Chapter 251.

CHECKLIST				
NO OPEN CUT ALLOWED WITHOUT EXPRESS PERMISSION OF THE GUADALUPE COUNTY COMMISSIONER'S COURT.				
Allow 2-3 weeks for processing open cut requests.				
Any utility shall be located within 5-feet of the property line when placed in the County ROW.				
The leading face of any excavation shall be located a minimum 5-feet beyond the edge of road.				
Any carrier pipe located beneath a County Road shall be cased (minimum casing diameter is 2-inches).				
The end of any casing shall be located a minimum 5-feet beyond the edge of road.  (Where easement outside of the Right-of-Way (ROW) exists, end of casing shall extend to the ROW limit.)				
Any proposed work in the ROW shall be accompanied by an aerial photograph and/or design drawing(s) depicting:				
Existing and proposed utility				
2. The proposed utility alignment shall be stationed, point to point, with prominent identification of the beginning and ending stations.				
3. Plan view of the utility alignment shall identify the proposed construction technique (i.e. boring, open cut). Where combination methods are used, identify beginning and ending locations, for each unique section.				
Proposed location of crossing and/or parallel installation				
5. North Arrow				
6. Scale				
7. Right of Way and/or Property Lines				
8. Nearest street intersection or note identifying nearest street intersection and the distance to such				

9. Centerline of roadway
10. Existing and proposed pavement Widths
11. Name of road
12. Bore pit location with all dimensional information (length, width, depth) and with respect to location of the
leading edge of pit excavation relevant to the edge of road.
13. Provide the method of backfill for any excavation performed in the ROW.
14. Work in the ROW requires a work plan that shall include a TxDOT compliant traffic control plan.

Utility Service (water, sewer, gas, electricity, communication, cable TV, etc.)	
Carrier Pipe Diameter (inches)	
Carrier Pipe Material	
Casing Diameter (inches)	
Casing Material	

#### NOTE(S)

- A 4-feet wide sidewalk needs 5-feet x5-feet passing spaces (landings) every 200' per Texas Department Licensing & Regulation 403.5.3.
- 2. Storage or temporary staging of material, spoils, fill, or equipment is prohibited on County Right of Way.
- 3. The restoration of work executed in a drainage pathway shall include the effort to restore both the plan and profile of the drainage pathway impact by the work. Revegetation shall be accomplished in accordance with the TxDOT regional specifications and shall be maintained to establish 100% vegetative cover.
- 4. Work executed in a drainage pathway shall be backfilled and graded toward the nearest low water crossing.
- 5. All excavation work will be conducted in accordance with OSHA 29 CFR 1926 and other applicable regulations and/or codes.
- 6. No excavation shall remain open for longer than 48 consecutive hours or weekends when work is not in progress.
- 7. Excavations shall be backfilled in accordance with the project work plan and shall include the minimum following requirements:
  - a. Compaction testing every lift at a maximum 500-feet interval spacing.
  - b. Contractor shall obtain soil compaction properties from a licensed construction materials testing laboratory. Compaction property values shall be verified every 5,280-feet or when visible properties of the soil change.
  - c. The requirements of Sub-items a and b may be avoided with the provision of a 24-month warranty for a measured settlement exceeding 2-inches.
- 8. Any vault, manhole or other appurtenance located in the ROW shall be identified and structurally rated for vehicular traffic.
- 9. Any changes or modifications made to design documents and/or drawings shall be made apparent with markings (i.e. cloud) and numbered on any revised document or drawing (i.e. permits/plans) and tracked on the drawing in the title block.
- 10. Active filling of any water carrying equipment in the County ROW is prohibited without the expressed permission of the Road and Bridge Administrator. This activity can potentially require an additional permit and additional project execution requirements subject to site specific conditions. Contractor responsible for obtaining any meters and/or permits from owning Utility.
- 11. Roadway and ROW will be maintained in a high state of police and free of dirt, mud, material, equipment, and/or debris at all times. The work area roadway or ROW shall be swept/cleaned at the end of each work shift.
- 12. Construction plans in a pdf file are required for the excavation permit. The design in the construction plans must be sourced from a dwg.
- 13. This permit application must be filled out electronically, to include signatures, per the Guadalupe County Clerk's Office, effective October 1, 2024.

#### **EXCAVATION PERMIT AND AGREEMENT:**

Installation of Utility on Guadalupe County Rights of Way

PERMIT NO.:\_\_\_\_\_

a majority vote of the	MIT is effective from and after the date of the last signature set forth below following approval by Guadalupe County Commissioners Court and is by and between GUADALUPE COUNTY, TEXAS, a the State of Texas (the "County") and("Company").
	ants permission, subject to the terms and conditions of this Permit, to the Company to install, pair, and/or replace a(the "Construction"), the design and location which is in ereto.
All actions of the Comp	any engaged in pursuant to this permit shall be at the Company's sole cost, risk, and expense.
Exhibit "A" and pursu	will be constructed and maintained on the County Right-of-Way as shown on the attached ant to direction by Guadalupe County in accordance with governing laws and other guidelines alupe County Road and Bridge Department relative to the maintenance of County Right-of-Way
shall comply with pro	Impany shall be executed in a manner that minimizes disruption of the normal flow of traffic and per traffic control measures set forth in applicable parts of the Texas Manual of Uniform Traffic uired by the Uniform Act Regulating Traffic on Highways (V.C. X 6701d).
peyond the Company' date of the last signat	p perform construction in a good and workmanlike manner with no interruptions except for causes a reasonable control. This Permit to perform the Construction shall expire one (1) year from the ure. The obligations and duties apart from the actual Construction shall remain in full force and onstruction remains in the County Right-of-Way.
	stall its, ensuring that inference or encroachment on already existing utility ized. The Company will cooperate with adjacent landowners to minimize any inconvenience caused vities.
understood and agree upon its Right-of-Way.	ompany set forth herein shall be at the sole cost, risk, and expense of the Company. It is expressly by the Company that Guadalupe County DOES NOT grant any right, claim, title, or easement in or It is further understood and agreed that Guadalupe County may require the Company to relocate the Company's sole cost, risk, and expense, subject to provisions of governing laws, by giving the

The Company agrees, warrants, and guarantees that it is responsible for all damage to any part of the roadway or County Right-of-Way. The Company shall, both during and after Construction, restore the County Right-of-Way to equal or better conditions than those existing prior to the beginning of the Construction. In the event the Company fails to restore the County Right-of-Way following Construction, the Company agrees to reimburse the County for its reasonable expenses incurred restoring the County Right-of-Way.

Company 90 days written notice. Subject to availability within the existing Right-of-Way, the County shall provide the Company with an alternate location to relocate its line. The Company may acquire an easement outside of the County

Right-of-Way for relocation purposes.

# **EXCAVATION PERMIT AND AGREEMENT (continued)**

Should the Company fail to comply with any requirements established herein, the County may take such action it deems appropriate to compel compliance.

The terms, conditions, and requirements of this Permit and Agreement remain with and follow the Construction listed in this Permit and set forth in Exhibit A. The duties and obligations relating to the Construction in this Permit automatically transfer and are binding upon all subsequent transferees and/or assignees of the Company as it relates to the use, ownership, or management of the Construction and affiliated assets. This Permit shall be made a part of any agreement that transfers or assigns the Construction and affiliated assets.

The Company acknowledges that its signatory hereto has full and complete authority to execute this Excavation Permit.

			Guadalupe County, Texas
	Company Name		County
			101 E. Court St.
	Street Address		Street Address
			Seguin, Texas 78155
	City, State & Zip Code		City, State & Zip Code
			(830) 303-4188
	Company Phone		
Ву:		By:	
<i></i>	[Printed Name of Signatory]	-	Road Administrator /
			Assistant RoadAdministrator
Ву:			
, <u> </u>	[Signature of Signatory]	Date:	
Its:			
	[Title of Signatory]	_	
Date:			
Daic.			

# **COMPANY REQUESTING PERMIT:**

(THE EXCAVATION PERMIT MUST BE ACQUIRED BY THE ENTITY PERFORMING THE WORK)

Company:			
		Phone:	
Primary Point of Contact			
Name:	Phone:	Email:	
Secondary or Field Point	of Contact (PROVIDE ADDITIONAL CONT	ACTS ON SEPARATE SHEET AS NEEDED)	
Name:	Phone:	Email:	
List of Subcontractor(s)			
1			
-			
Subcontractor Primary Po	oint of Contact		
	<u></u>	Emaile	
Name:	Priorie:	Email:	
Type of Construction			
Location of Construction	(INCLUDE ATTACHMENTS OR COMPLETE	PAGES XX AND XX))	
Road Administrator / Ass	istant Road Administrator	Approval	Date

This permit expires 1 year after the date of last signature in the above agreement.

# PLAN VIEW FOR PARALLEL INSTALLATION

т	т.	$\sim$	•	ът	$\mathbf{r}$
	н	- 1	н	N	11

 $\begin{aligned} &\text{R.o.w.} = \text{RIGHT OF WAY} \\ &\text{E.P.} = \text{EDGE OF PAYMENT} \end{aligned}$ 

# NOTE(S)

NO OPEN CUT ALLOWED WITHOUT EXPRESS PERMISSION OF THE GUADALUPE COUNTY COMMISSIONER'S COURT.

The leading face of any excavation shall be located a minimum 5-feet from the edge of road. Provide location and depth of existing utility.

Provide location, dimensions, and depth of proposed bore origin, receiving pits, and proposed utility.


Provide dimension from edge of pavement to bore pit, bore pit to ROW line.

In lieu of filling out this sheet, plans from the design drawings depicting the required information can be provided as attachments to this Application for Excavation Permit.

Carrier Pipe Dia (in)
Carrier Pipe Material
Casing Dia (in)
Casing Material
Carrier Pipe Content



NORTH ARROW



# **TYPICAL SECTION**

# LEGEND

 $\Phi = CENTER LINE$ 

**½** = PROPERTY LINE

R.O.W. = RIGHT OF WAY

E.P. = EDGE OF PAYMENT

# NOTE(S)

NO OPEN CUT ALLOWED WITHOUT EXPRESS PERMISSION OF THE GUADALUPE COUNTY COMMISSIONER'S COURT.

The leading face of any excavation shall be located a minimum 5-feet from the edge of road.

Provide location and depth of existing utility.

Provide location, dimensions, and depth of proposed bore origin, receiving pits, and proposed utility.

Provide dimension from edge of pavement to bore pit, bore pit to ROW line.

In lieu of filling out this sheet, plans from the design drawings depicting the required information can be provided as attachments to this Application for Excavation Permit.





